4)4

| | Application No. | Applicant(s) |
|---|--|--|
| Notice of Allowability | 00/700 000 | MA ET AL |
| | 09/730,836 Examiner | KIM ET AL. |
| | TUVE | |
| | Thoi V. Duong | 2871 |
| The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT (of the Office or upon petition by the applicant. See 37 CFR 1.313 | (OR REMAINS) CLOSED in this or other appropriate communica GHTS. This application is subje | application. If not included tion will be mailed in due course. THIS |
| 1. This communication is responsive to the request for withdrawal of final rejection filed February 22, 2006. | | |
| 2. The allowed claim(s) is/are 1,2,4-6 and 8-20. | | |
| 3. Acknowledgment is made of a claim for foreign priority units a) All b) Some* c) None of the: 1. Certified copies of the priority documents have | | |
| 2. Certified copies of the priority documents have been received in Application No | | |
| 3. Copies of the certified copies of the priority documents have been received in this national stage application from the | | |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892) | 5 Netice of Informe | al Datast Application (DTO 152) |
| 2. Notice of Praftperson's Patent Drawing Review (PTO-948) | | al Patent Application (PTO-152) |
| | Paper No./Mail | Date . |
| Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date | B), 7. ⊠ Examiner's Ame | ndment/Comment |
| 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8. 🛛 Examiner's State | ement of Reasons for Allowance |
| | 9. | |
| | | |
| | | |
| | | |

DETAILED ACTION

1. This office action is in response to the request for withdrawal of final rejection filed February 22, 2006.

Accordingly to the amendment filed December 20, 2005, claims 1 and 9 were amended, and claims 3 and 7 were cancelled. Currently, claims 1, 2, 4-6 and 8-20 are pending in this application.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

In the title: change the title as "Liquid crystal display and fabricating method comprising a hydrophilic buffer layer having a thickness of 10Å to 50Å."

Allowable Subject Matter

3. Claims 1, 2, 4-6 and 8-20 are allowed.

The following is an examiner's statement of reasons for allowance: none of the prior art of record fairly suggests or shows all of the limitations as claimed. Specifically,

Re claims 1 and 9, none of the prior art of record discloses, in combination with other limitations as claimed, a liquid crystal display as well as a method of fabricating the same comprising a hydrophilic buffer layer having a thickness of 10 Angstrom to 50 Angstrom formed by irradiating the organic passivation layer with ultraviolet rays having a wavelength in a range between about 100 nm and about 200 nm.

Application/Control Number: 09/730,836 Page 3

Art Unit: 2871

The most relevant reference, USPN 6,038,008 to Kim et al., fails to disclose or suggest a thickness of 10 Angstrom to 50 Angstrom of the hydrophilic buffer layer. As shown in Fig. 7H, Kim et al. discloses an organic passivation layer 126 irradiated with UV rays to form a hydrophilic buffer layer; however, Kim et al. is silent on the thickness of the buffer layer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thoi V. Duong whose telephone number is (571) 272-2292. The examiner can normally be reached on Monday-Friday from 8:30 am to 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim, can be reached at (571) 272-2293.

Thoi Duong July

03/03/2006

DUNG T. NGUYEN PRIMARY EXAMINER